

6944

75 liter Conductive Total opening drum with handles



Product part	Product code	Materials
Drum	6944	HDPE
Handle	6800	HDPE
Lid	6970	HDPE
Gasket	H14	EPDM

Capacity	Liters	US Gallons
Brimful	79.5	21.00
When closed	75	19.81

Hazardous material information	
Hazardous material type	Solids
Packaging group	I – II – III
UN marking	UN/1H2/X95/S/--/NL/CURTEC-070063
Maximum gross mass (kg)	X=95 Y=142 Z=213

Weight	Grams	Ounces
Drum	3332	117.53
Handles	90	3.18
Lid	675	23.81
Gasket	37	1.31
Total	4134	145.83

Weight tolerance
All products have a tolerance of $\pm 4\%$ of the initial weight mentioned on this data sheet

Dimensional tolerances	%
Height	± 2.5
Diameter	± 1.5

Wall thickness	mm
Minimal wall thickness	≥ 2.5
Nominal wall thickness	≥ 2.7

Colors	Color code	PMS references
Drum	Black 101	/
Lid	Black 101	/
Handle	Black 101	/


Product identification	Drum	Lid
Manufacturer ID	Bottom	--
Product code	Bottom	--
Recycle logo / Material type	Bottom	Inside
Date clock	Bottom	Inside
UN-mark	Side wall	--
Food logo	--	--
Material track clock	Bottom	--
CFR49-mark	Bottom	--
Conductive logo	Bottom	--
ESD label	Side	Outside

Other information
All conductive drums have a surface resistivity $\leq 10^4$ Ohm.
Maximum filling temperature is 70°C/ 158°F
Contents must have cooled to 30°C/ 86°F before containers can be closed and stacked
UN certificate available on request
MVTR declaration available on request
Water tightness declaration available on request
User manual available on request
All drums can be made tamper evident with application of compact seal # 7800

DISCLAIMER

CurTec manufactures packaging material for a wide range of purposes. This declaration is restricted to the packaging material as it leaves the production facility. CurTec has neither control over final end use of the product nor over processing conditions. It is therefore the responsibility of the end user to check compliance with the relevant regulations and to validate material performance in the end application through proper end use testing.

© 2020 Property of CurTec International B.V. All rights explicitly reserved, it is not allowed to copy or communicate to other parties without written consent of CurTec.



Title 6944 Total opening drum 75 liter

Revision	Rev. Date	Units
0	12-12-2019	mm



This document is property of CurTec Nederland B.V.
and may not be copied or communicated without written consent.
All Rights Reserved

